

Executive Summary – Enforcement Matter – Case No. 51109
Laguna Madre Water District
RN102675501
Docket No. 2015-1236-PWS-E

Order Type:

Findings Agreed Order

Findings Order Justification:

Three or more enforcement actions (NOVs, orders, etc.) over the prior five year period for the same violation(s).

Media:

PWS

Small Business:

No

Location(s) Where Violation(s) Occurred:

Laguna Madre Water District, 105 Port Road, Port Isabel, Cameron County

Type of Operation:

Public water supply

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: November 6, 2015

Comments Received: No

Penalty Information

Total Penalty Assessed: \$1,992

Amount Deferred for Expedited Settlement: \$0

Amount Deferred for Financial Inability to Pay: \$0

Total Paid to General Revenue: \$1,992

Total Due to General Revenue: \$0

Payment Plan: N/A

Supplemental Environmental Project ("SEP") Conditional Offset: \$0

Name of SEP: N/A

Compliance History Classifications:

Person/CN - Satisfactory

Site/RN - High

Major Source: Yes

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: April 2014

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: July 27, 2015 through August 7, 2015

Date(s) of NOE(s): August 7, 2015

Executive Summary – Enforcement Matter – Case No. 51109
Laguna Madre Water District
RN102675501
Docket No. 2015-1236-PWS-E

Violation Information

Failed to comply with the maximum contaminant level of 0.080 milligrams per liter for total trihalomethanes based on the locational running annual average [30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c)].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to:

- a. Within 365 days, return to compliance with the locational running annual average maximum contaminant level for total trihalomethanes; and
- b. Within 380 days, submit written certification of compliance with a.

Litigation Information

Date Petition(s) Filed: N/A

Date Answer(s) Filed: N/A

SOAH Referral Date: N/A

Hearing Date(s): N/A

Settlement Date: N/A

Contact Information

TCEQ Attorney: N/A

TCEQ Enforcement Coordinator: Farhaud Abbaszadeh, Enforcement Division, Enforcement Team 1, MC 169, (512) 239-0779; Candy Garrett, Enforcement Division, MC 219, (512) 239-1456

TCEQ SEP Coordinator: N/A

Respondent: Carlos J. Galvan, Jr., General Manager, Laguna Madre Water District, 105 Port Road, Port Isabel, Texas 78578

Jeff Keplinger, Chairman, Laguna Madre Water District, 105 Port Road, Port Isabel, Texas 78578

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 4 (April 2014)

PCW Revision March 26, 2014

DATES	Assigned	10-Aug-2015	Screening	13-Aug-2015	EPA Due	30-Sep-2015
	PCW	17-Aug-2015				

RESPONDENT/FACILITY INFORMATION	
Respondent	Laguna Madre Water District
Reg. Ent. Ref. No.	RN102675501
Facility/Site Region	15-Harlingen
Major/Minor Source	Major

CASE INFORMATION		No. of Violations	1
Enf./Case ID No.	51109	Order Type	Findings
Docket No.	2015-1236-PWS-E	Government/Non-Profit	Yes
Media Program(s)	Public Water Supply	Enf. Coordinator	Farhaud Abbaszadeh
Multi-Media		EC's Team	Enforcement Team 1
Admin. Penalty \$ Limit Minimum	\$50	Maximum	\$1,000

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties)	Subtotal 1	\$1,200
---	-------------------	---------

ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

Compliance History	66.0%	Enhancement	Subtotals 2, 3, & 7	\$792
---------------------------	-------	-------------	--------------------------------	-------

Notes: Enhancement for one order with denial, one order without denial, three NOV's with same/similar violations, and three NOV's with dissimilar violations.

Culpability	No	0.0%	Enhancement	Subtotal 4	\$0
--------------------	----	------	-------------	-------------------	-----

Notes: The Respondent does not meet the culpability criteria.

Good Faith Effort to Comply Total Adjustments	Subtotal 5	\$0
--	-------------------	-----

Economic Benefit	0.0%	Enhancement*	Subtotal 6	\$0
-------------------------	------	--------------	-------------------	-----

Total EB Amounts \$807
Estimated Cost of Compliance \$5,000

*Capped at the Total EB \$ Amount

SUM OF SUBTOTALS 1-7	Final Subtotal	\$1,992
-----------------------------	-----------------------	---------

OTHER FACTORS AS JUSTICE MAY REQUIRE	0.0%	Adjustment	\$0
---	------	-------------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes:

Final Penalty Amount	\$1,992
-----------------------------	---------

STATUTORY LIMIT ADJUSTMENT	Final Assessed Penalty	\$1,992
-----------------------------------	-------------------------------	---------

DEFERRAL	0.0%	Reduction	Adjustment	\$0
-----------------	------	-----------	-------------------	-----

Reduces the Final Assessed Penalty by the indicated percentage. (Enter number only; e.g. 20 for 20% reduction.)

Notes:

No deferral is recommended for Findings Orders.

PAYABLE PENALTY	\$1,992
------------------------	---------

Screening Date 13-Aug-2015

Docket No. 2015-1236-PWS-E

PCW

Respondent Laguna Madre Water District

Policy Revision 4 (April 2014)

Case ID No. 51109

PCW Revision March 26, 2014

Reg. Ent. Reference No. RN102675501

Media [Statute] Public Water Supply

Enf. Coordinator Farhaud Abbaszadeh

Violation Number 1

Rule Cite(s) 30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health & Safety Code § 341.0315(c)

Violation Description

Failed to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter ("mg/L") for total trihalomethanes ("TTHM"), based on the locational running annual average. Specifically, the locational running annual average concentration of TTHM for Disinfection Byproducts Stage 2 ("DBP2") at Site 1 was 0.092 mg/L for the first quarter of 2015 and 0.083 for the second quarter of 2015; at Site 2 was 0.096 mg/L for the first quarter of 2015; at Site 3 was 0.094 mg/L for the fourth quarter of 2014, 0.118 for the first quarter of 2015, and 0.090 mg/L for the second quarter of 2015; and at Site 4 was 0.115 for the first quarter of 2015 and 0.107 for the second quarter of 2015.

Base Penalty \$1,000

>> Environmental, Property and Human Health Matrix

OR

	Major	Moderate	Minor
Release			
Actual		X	
Potential			

Percent 30.0%

>> Programmatic Matrix

	Major	Moderate	Minor
Falsification			

Percent 0.0%

Matrix Notes

Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of contaminants which do not exceed levels that are protective of human health.

Adjustment \$700

\$300

Violation Events

Number of Violation Events 4

273 Number of violation days

mark only one with an x	daily	
	weekly	
	monthly	
	quarterly	
	semiannual	
	annual	X
	single event	

Violation Base Penalty \$1,200

Four annual events are recommended (one for each DBP2 Site).

Good Faith Efforts to Comply

0.0%

Reduction \$0

Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer

Extraordinary		
Ordinary		
N/A	X	(mark with x)

Notes

The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal \$1,200

Economic Benefit (EB) for this violation

Statutory Limit Test

Estimated EB Amount \$807

Violation Final Penalty Total \$1,992

This violation Final Assessed Penalty (adjusted for limits) \$1,992

Screening Date 13-Aug-2015

Docket No. 2015-1236-PWS-E

PCW

Respondent Laguna Madre Water District

Policy Revision 4 (April 2014)

Case ID No. 51109

PCW Revision March 26, 2014

Reg. Ent. Reference No. RN102675501

Media [Statute] Public Water Supply

Enf. Coordinator Farhaud Abbaszadeh

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Enter Number Here	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (<i>number of NOVs meeting criteria</i>)	3	15%
	Other written NOVs	3	6%
Orders	Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	1	20%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	1	25%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (<i>number of judgments or consent decrees meeting criteria</i>)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%
Emissions	Chronic excessive emissions events (<i>number of events</i>)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which notices were submitted</i>)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which violations were disclosed</i>)	0	0%
Please Enter Yes or No			
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 66%

>> Repeat Violator (Subtotal 3)

No

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7) 0%

>> Compliance History Summary

Compliance
History
Notes

Enhancement for one order with denial, one order without denial, three NOVs with same/similar violations, and three NOVs with dissimilar violations.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 66%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100% 66%

Economic Benefit Worksheet

Respondent Laguna Madre Water District
Case ID No. 51109
Reg. Ent. Reference No. RN102675501
Media Public Water Supply
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
------------------	-----------	---------------	------------	-----	----------------	---------------	-----------

No commas or \$

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)	\$5,000	31-Dec-2014	21-Apr-2017	2.31	\$38	\$769	\$807
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

Notes for DELAYED costs

The delayed cost includes the estimated amount necessary to implement an alternative method of disinfection, calculated from the last day of the first quarter of noncompliance to the estimated date of compliance.

Avoided Costs

ANNUALIZE [1] avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance [2]				0.00	\$0	\$0	\$0
ONE-TIME avoided costs [3]				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

Approx. Cost of Compliance

\$5,000

TOTAL

\$807

he TCEQ is committed to accessibility.
o request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



Compliance History Report

PUBLISHED Compliance History Report for CN600647952, RN102675501, Rating Year 2014 which includes Compliance History (CH) components from September 1, 2009, through August 31, 2014.

Customer, Respondent, or Owner/Operator: CN600647952, Laguna Madre Water District
Classification: SATISFACTORY **Rating:** 0.21
Regulated Entity: RN102675501, LAGUNA MADRE WATER DISTRICT
Classification: HIGH **Rating:** 0.00
Complexity Points: 4
Repeat Violator: NO
CH Group: 14 - Other
Location: 105 PORT ROAD, PORT ISABEL, CAMERON COUNTY, TEXAS
TCEQ Region: REGION 15 - HARLINGEN

ID Number(s):
PUBLIC WATER SYSTEM/SUPPLY REGISTRATION 0310005
SLUDGE REGISTRATION 23479
WATER LICENSING LICENSE 0310005

Compliance History Period: September 01, 2009 to August 31, 2014 **Rating Year:** 2014 **Rating Date:** 09/01/2014

Date Compliance History Report Prepared: August 13, 2015

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: August 13, 2010 to August 13, 2015

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Farhaud Abbaszadeh

Phone: (512) 239-0779

Site and Owner/Operator History:

- 1) Has the site been in existence and/or operation for the full five year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO
- 3) If **YES** for #2, who is the current owner/operator? N/A
- 4) If **YES** for #2, who was/were the prior owner(s)/operator(s)? N/A
- 5) If **YES**, when did the change(s) in owner or operator occur? N/A

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

- 1 Effective Date: 09/14/2013 ADMINORDER 2013-0438-PWS-E (1660 Order-Agreed Order With Denial)
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.113(f)(4)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TTHM MCL 4Q2012 - The system violated the maximum contaminant level for trihalomethanes during the 4th quarter of 2012.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.113(f)(4)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TTHM MCL 1Q2013 - The system violated the maximum contaminant level for trihalomethanes during the 1st quarter of 2013.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.106(e)
Description: ASBESTOS MR 9Y2012 - The system failed to monitor and/or failed to report asbestos levels to the TCEQ for the 9 year monitoring period from 01/01/2004 to 12/31/2012.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter H 290.271(b)

30 TAC Chapter 290, SubChapter H 290.274(a)
30 TAC Chapter 290, SubChapter H 290.274(c)

Description: CCR 2011 - The system failed to provide the Consumer Confidence Report (CCR) for 2011 to its bill-paying customers and/or the TCEQ by July 1st of the following year.

- 2 Effective Date: 05/07/2015 ADMINORDER 2014-1367-PWS-E (Findings Order-Agreed Order Without Denial)
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.109(f)(3)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TCR MCL Violation 06/2014 - System exceeded a maximum contaminant level.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.109(f)(3)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TCR MCL Violation 08/2014 - System exceeded a maximum contaminant level.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(b)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: JUNE/2014 SWTR Non-Acute TT PN Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was for a non-acute surface water treatment technique violation during the month of 06/2014.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(b)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: JUNE/2014 TCR MCL PN Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was required for a maximum contaminant level violation during the month of 06/2014.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(b)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: MAY/2014 SWTR Non-Acute TT PN Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was for a non-acute surface water treatment technique violation during the month of 05/2014.

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 1 May 28, 2013 (1074454)

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

- 1 Date: 08/28/2014 (1193472) CN600647952
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.109(f)(3)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TCR MCL Violation 08/2014 - System exceeded a maximum contaminant level.
- 2 Date: 12/17/2014 (1268400) CN600647952
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 4Q2014 - During the fourth quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.094 mg/L at 550 Padre Blvd (DBP2-03).
- 3 Date: 03/27/2015 (1268400) CN600647952
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 1Q2015 - During the first quarter of 2015 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.092 mg/L at 310 Manautou (DBP2-01); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.115 mg/L at Site 27 (DBP2-04); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.118 mg/L at Padre Blvd (DBP2-03).

- 4 Date: 05/29/2015 (1247504) CN600647952
Self Report? NO Classification: Minor
Citation: 30 TAC Chapter 312, SubChapter G 312.144(d)
Description: The entity was cited for failure to have sight gauges on all closed vehicles/tanks/containers or alternate method of volume measurement.
- 5 Date: 07/27/2015 (1268400) CN600647952
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 2Q2015 - During the second quarter of 2015 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.090 mg/L at 550 Padre Blvd (DBP2-03); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.107 mg/L at Site 27 (DBP2-04); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.083 mg/L at 310 Manautou (DBP2-01).
- 6 Date: 08/10/2015 (1254673) CN600647952
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)(6)
Description: The maintenance and housekeeping practices used by a public water system shall ensure the good working condition and general appearance of the system's facilities and equipment. Pumps motors, valves, and other mechanical equipment shall be maintained in good working condition.

Environmental audits:

N/A

Type of environmental management systems (EMSs):

N/A

Voluntary on-site compliance assessment dates:

N/A

Participation in a voluntary pollution reduction program:

N/A

Early compliance:

N/A

Sites Outside of Texas:

N/A

Customer, Respondent, or Owner/Operator:	CN600647952, Laguna Madre Water District	Classification: SATISFACTORY	Rating: 0.21
Regulated Entity:	RN102675501, LAGUNA MADRE WATER DISTRICT	Classification: HIGH	Rating: 0.00

Component Appendices

Appendix A

All NOVs Issued During Component Period 8/13/2010 and 8/13/2015

- | | | | | | | |
|---|--------------|---|----------|-----------------|-----------------|----------|
| 1 | Date: | 03/13/2009 | (880684) | CN600647952 | Classification: | Moderate |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter F 290.109(f)(3) | | | | |
| | Description: | TCR MCL Violation 03/2009 - System exceeded a Maximum Contaminant Level (MCL) Violation. | | | | |
| | | | | Classification: | Moderate | |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter F 290.122(b)(2)(A) | | | | |
| | Description: | TCR PN MCL Violation 03/2009 - Failure to post a public notice for exceeding a Maximum Contaminant Level (MCL) Violation. | | | | |
| 2 | Date: | 10/04/2010 | (881311) | CN600647952 | Classification: | Moderate |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter F 290.109(f)(3) | | | | |
| | Description: | TCR MCL Violation 09/2010 - System exceeded a Maximum Contaminant Level (MCL) Violation. | | | | |
| | | | | Classification: | Moderate | |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter F 290.122(b)(2)(A) | | | | |
| | Description: | TCR PN MCL Violation 09/2010 - Failure to post a public notice for exceeding a Maximum Contaminant Level (MCL) Violation. | | | | |
| 3 | Date: | 12/22/2010 | (872648) | CN600647952 | Classification: | Moderate |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter D 290.46(m) | | | | |
| | Description: | Failure to provide maintenance and housekeeping practices to ensure the good working condition and general appearance of the systems facilities and equipment. | | | | |
| | | | | Classification: | Minor | |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter D 290.46(m)(6) | | | | |
| | Description: | Failure to maintain, pumps, motors, valves and other mechanical devices, in accordance with 30 TAC §209.46 (m)(6). | | | | |
| | | | | Classification: | Minor | |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter D 290.46(m) | | | | |
| | Description: | Failure to provide maintenance and housekeeping practices to ensure the good working conditions and general appearance of the systems facilities and equipment, in accordance with 30 TAC §290.46 (m). | | | | |
| | | | | Classification: | Minor | |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter D 290.43(c)(8) | | | | |
| | Description: | Failure to properly maintain all ground storage tanks, standpipes, elevated storage tanks. All shall be painted, disinfected, and maintained in strict accordance with American Water Works Association (AWWA) standards, in accordance with 30 TAC §290.43 (c)(8). | | | | |
| | | | | Classification: | Minor | |
| | Self Report? | NO For Informational Purposes Only | | | | |
| | Citation: | 30 TAC Chapter 290, SubChapter D 290.43(c)(8) | | | | |
| | Description: | Failure to properly maintain all ground storage tanks, standpipes, elevated | | | | |

storage tanks. All shall be painted, disinfected, and maintained in strict accordance with American Water Works Association (AWWA) standards, in accordance with 30 TAC §290.43 (c)(8).

4

Date: 04/20/2011 (905470)

CN600647952

Classification: Moderate

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)

Description: Failure to provide maintenance and housekeeping practices to ensure the good working condition and general appearance of the systems facilities and equipment.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)(6)

Description: Failure to maintain, pumps, motors, valves and other mechanical devices, in accordance with 30 TAC §209.46 (m)(6).

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)

Description: Failure to provide maintenance and housekeeping practices to ensure the good working conditions and general appearance of the systems facilities and equipment, in accordance with 30 TAC §290.46 (m).

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.43(c)(8)

Description: Failure to properly maintain all ground storage tanks, standpipes, elevated storage tanks. All shall be painted, disinfected, and maintained in strict accordance with American Water Works Association (AWWA) standards, in accordance with 30 TAC §290.43 (c)(8).

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.43(c)(8)

Description: Failure to properly maintain all ground storage tanks, standpipes, elevated storage tanks. All shall be painted, disinfected, and maintained in strict accordance with American Water Works Association (AWWA) standards, in accordance with 30 TAC §290.43 (c)(8).

5

Date: 07/25/2012 (1013696)

CN600647952

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 312, SubChapter G 312.144(a)

Description: Failure to properly label trucks with the company name, telephone number, registration number, and registration sticker.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 312, SubChapter G 312.144(f)

Description: Failure to properly label discharge valves and ports.

6

Date: 07/31/2012 (963869)

CN600647952

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.43(c)(8)

Description: Failure to properly maintain all ground storage tanks, standpipes, elevated storage tanks. All shall be painted, disinfected, and maintained in strict accordance with American Water Works Association (AWWA) standards, in accordance with 30 TAC §290.43 (c)(8).

Classification: Moderate

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(d)(2)(B)

Description: Failure to continuously maintain a disinfectant residual during the treatment process and throughout the distribution system.

Specifically, during the June 19, 2012, investigation the Andy Bowie elevated

storage tank was observed to have a chloramines disinfectant residual of less than the required 0.5 mg/l.

Classification: Moderate

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(d)(2)(B)

Description: Failure to continuously maintain a disinfectant residual during the treatment process and throughout the distribution system.

Specifically, during the June 19, 2012, investigation elevated storage tank No. 3 was observed to have a chloramines disinfectant residual of less than the required 0.5 mg/l.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)(6)

Description: Failure to maintain pumps, motors, valves, and other mechanical devices in good working condition.

Specifically, plant No. 1 raw water pump No. 2 was observed to be non-operational during the June 19, 2012, investigation.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)(6)

Description: Failure to maintain pumps, motors, valves, and other mechanical devices in good working condition.

Specifically, plant No. 1 rapid mix motor was observed to be non-operational during the June 19, 2012, investigation.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)(6)

Description: Failure to maintain pumps, motors, valves, and other mechanical devices in good working condition.

Specifically, plant No. 2 raw water pump No. 2 was observed to be leaking excessively and highly corroded during the June 19, 2012, investigation.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)

Description: Failure to maintain maintenance and housekeeping practices to ensure the good working condition and general appearance of the systems facilities and equipment.

Specifically, the sludge pump well at plant No. 2 was observed to be poorly kept

and covered in a layer of algae and mud during the June 19, 2012, investigation.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)

Description: Failure to maintain pumps, motors, valves, and other mechanical devices in good working condition.

Specifically, plant No. 2 high service pump No. 1 was observed to be leaking excessively at the seal and air release device during the June 19, 2012, investigation.

Classification: Minor

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)

Description: Failure to maintain maintenance and housekeeping practices to ensure the good working condition and general appearance of the systems facilities and equipment.

Specifically, all high service pumps at plant No. 2 was observed to be dirty and poorly maintained during the June 19, 2012, investigation.

Self Report? NO

For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.113(f)(4)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TTHM MCL 4Q2012 - The system violated the maximum contaminant level for trihalomethanes during the 4th quarter of 2012.

8

Date: 01/29/2013 (1058052) CN600647952
Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.113(f)(4)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TTHM MCL 1Q2013 - The system violated the maximum contaminant level for trihalomethanes during the 1st quarter of 2013.

9

Date: 05/28/2013 (1074455) CN600647952
Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(j)
Description: Failure to insure that customer service inspections are completed prior to providing continuous water service to new construction, on any existing service either when the water purveyor has reason to believe that cross-connections or other potential contaminant hazards exist, or after any material improvement, correction, or addition to the private water distribution facilities.

Classification: Minor

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.43(e)
Description: Failure to ensure the intruder resistant fence is in good repair along the west side. All potable water storage tanks and pressure maintenance facilities must be installed in a lockable building that is designed to prevent intruder access or enclosed by an intruder-resistant fence with lockable gates.

Classification: Minor

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.43(e)
Description: Failure to ensure the intruder resistant fence is in good repair. At Plant No. 1, the top rail as well as the barb wire along the top of the fence were loose/broken.

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.43(c)(8)
Description: Failure to insure all ground storage tanks, standpipes, and elevated tanks shall be painted, disinfected, and maintained in strict accordance with current American Water Works Association (AWWA) standards. Specifically, the ground storage tank at Plant No. 1 was found to have significant corrosion and paint issues.

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)
Description: Failure to insure maintenance and housekeeping. The maintenance and housekeeping practices used by a public water system shall ensure the good working condition and general appearance of the system's facilities and equipment. The grounds and facilities shall be maintained in a manner so as to minimize the possibility of the harboring of rodents, insects, and other disease vectors, and in such a way as to prevent other conditions that might cause the contamination of the water.

10*

Date: 06/30/2014 (1193472) CN600647952
Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.109(f)(3)

5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TCR MCL Violation 06/2014 - System exceeded a maximum contaminant level.

11*

Date: 08/28/2014 (1193472) CN600647952
Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.109(f)(3)

5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: TCR MCL Violation 08/2014 - System exceeded a maximum contaminant level.

12 Date: 12/17/2014 (1268400) CN600647952
Classification: Moderate
Self Report? NO For Informational Purposes Only
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 4Q2014 - During the fourth quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.094 mg/L at 550 Padre Blvd (DBP2-03).

13 Date: 03/27/2015 (1268400) CN600647952
Classification: Moderate
Self Report? NO For Informational Purposes Only
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 1Q2015 - During the first quarter of 2015 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.092 mg/L at 310 Manautou (DBP2-01); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.115 mg/L at Site 27 (DBP2-04); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.118 mg/L at Padre Blvd (DBP2-03).

14 Date: 05/29/2015 (1247504) CN600647952
Classification: Minor
Self Report? NO For Informational Purposes Only
Citation: 30 TAC Chapter 312, SubChapter G 312.144(d)
Description: The entity was cited for failure to have sight gauges on all closed vehicles/tanks/containers or alternate method of volume measurement.

15 Date: 07/27/2015 (1268400) CN600647952
Classification: Moderate
Self Report? NO For Informational Purposes Only
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 2Q2015 - During the second quarter of 2015 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.090 mg/L at 550 Padre Blvd (DBP2-03); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.107 mg/L at Site 27 (DBP2-04); violated the maximum contaminant level for trihalomethanes with a LRAA of 0.083 mg/L at 310 Manautou (DBP2-01).

16 Date: 08/10/2015 (1254673) CN600647952
Classification: Moderate
Self Report? NO For Informational Purposes Only
Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)(6)
Description: The maintenance and housekeeping practices used by a public water system shall ensure the good working condition and general appearance of the system's facilities and equipment. Pumps motors, valves, and other mechanical equipment shall be maintained in good working condition.

* NOVs applicable for the Compliance History rating period 9/1/2009 to 8/31/2014

Appendix B

All Investigations Conducted During Component Period August 13, 2010 and August 13, 2015

(880684)

Item 1 December 08, 2010** For Informational Purposes Only

(881307)

Item 2 December 15, 2010** For Informational Purposes Only

(884957)

Item 3 December 22, 2010** For Informational Purposes Only

(905470)

Item 4 April 20, 2011** For Informational Purposes Only

Item 5	February 27, 2012**	(958190) For Informational Purposes Only
Item 6	July 20, 2012**	(1013696) For Informational Purposes Only
Item 7	July 30, 2012**	(963869) For Informational Purposes Only
Item 8	February 13, 2013**	(1058052) For Informational Purposes Only
Item 9	February 22, 2013**	(1058599) For Informational Purposes Only
Item 10	May 08, 2013**	(1087745) For Informational Purposes Only
Item 11*	May 28, 2013**	(1074454) For Informational Purposes Only
Item 12	September 09, 2014	(1193472) For Informational Purposes Only
Item 13	September 12, 2014	(1193588) For Informational Purposes Only
Item 14	October 22, 2014	(1197601) For Informational Purposes Only
Item 15	May 28, 2015	(1247504) For Informational Purposes Only
Item 16	August 04, 2015	(1268400) For Informational Purposes Only
Item 17	August 07, 2015	(1268703) For Informational Purposes Only

* No violations documented during this investigation

**Investigation applicable for the Compliance History Rating period between 09/01/2009 and 08/31/2014.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	§	BEFORE THE
ENFORCEMENT ACTION	§	
CONCERNING	§	TEXAS COMMISSION ON
LAGUNA MADRE WATER DISTRICT	§	
RN102675501	§	ENVIRONMENTAL QUALITY

AGREED ORDER DOCKET NO. 2015-1236-PWS-E

At its _____ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding Laguna Madre Water District ("Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent presented this agreement to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including, but not limited to, the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Agreed Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated settlement of the parties. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Agreed Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

I. FINDINGS OF FACT

1. The Respondent owns and operates a public water supply located at 105 Port Road in Port Isabel, Cameron County, Texas (the "Facility") that has approximately 6,153 service connections and serves at least 25 people per day for at least 60 days per year.

2. During a record review conducted from July 27, 2015 through August 7, 2015, TCEQ staff documented that the locational running annual average concentration of total trihalomethanes ("TTHM") for Disinfection Byproducts Stage 2 ("DBP2") at Site 1 was 0.092 milligrams per liter ("mg/L") for the first quarter of 2015 and 0.083 for the second quarter of 2015; at Site 2 was 0.096 mg/L for the first quarter of 2015; at Site 3 was 0.094 mg/L for the fourth quarter of 2014, was 0.118 for the first quarter of 2015, and 0.090 mg/L for the second quarter of 2015; and at Site 4 was 0.115 for the first quarter of 2015 and 0.107 for the second quarter of 2015.
3. The Respondent received notice of the violations on August 12, 2015.

II. CONCLUSIONS OF LAW

1. The Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the Commission.
2. As evidenced by Findings of Fact No. 2, the Respondent failed to comply with the maximum contaminant level ("MCL") of 0.080 mg/L for TTHM based on the locational running annual average, in violation of 30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c).
3. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049, the Commission has the authority to assess an administrative penalty against the Respondent for violations of the Texas Water Code and the Texas Health and Safety Code within the Commission's jurisdiction; for violations of rules adopted under such statutes; or for violations of orders or permits issued under such statutes.
4. An administrative penalty in the amount of One Thousand Nine Hundred Ninety-Two Dollars (\$1,992) is justified by the facts recited in this Agreed Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). The Respondent has paid the One Thousand Nine Hundred Ninety-Two Dollar (\$1,992) administrative penalty.

III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed an administrative penalty in the amount of One Thousand Nine Hundred Ninety-Two Dollars (\$1,992) as set forth in Section II, Paragraph 4 above, for violations of TCEQ rules and state statutes. The payment of this administrative penalty and the Respondent's compliance with all the terms and conditions set forth in this Agreed Order completely resolve the violations set forth by this Agreed Order in this action. However, the Commission shall not be constrained in any manner from

requiring corrective actions or penalties for other violations that are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: Laguna Madre Water District, Docket No. 2015-1236-PWS-E" to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. The Respondent shall undertake the following technical requirements:
 - a. Within 365 days after the effective date of this Agreed Order, return to compliance with the locational running annual average MCL for TTHM, in accordance with 30 TEX. ADMIN. CODE § 290.115.
 - b. Within 380 days after the effective date of this Agreed Order, submit written certification of compliance with Ordering Provision No. 2.a. The written certification of compliance shall include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance, be notarized by a State of Texas Notary Public, and include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Public Water Supply Section Manager
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

3. The provisions of this Agreed Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.
4. The Executive Director may grant an extension of any deadline in this Agreed Order or in any plan, report, or other document submitted pursuant to this Agreed Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
5. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to the Respondent if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Agreed Order.
6. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
7. This Agreed Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
8. This Agreed Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Agreed Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Agreed Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any

other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms "electronic transmission", "owner", "person", "writing", and "written" shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.

9. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

Pam Monie J
For the Executive Director

1/7/16
Date

I, the undersigned, have read and understand the attached Agreed Order in the matter of Laguna Madre Water District. I am authorized to agree to the attached Agreed Order on behalf of Laguna Madre Water District, and do agree to the specified terms and conditions. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I understand that by entering into this Agreed Order, Laguna Madre Water District waives certain procedural rights, including, but not limited to, the right to formal notice of violations addressed by this Agreed Order, notice of an evidentiary hearing, the right to an evidentiary hearing, and the right to appeal. I agree to the terms of the Agreed Order in lieu of an evidentiary hearing. This Agreed Order constitutes full and final adjudication by the Commission of the violations set forth in this Agreed Order.

I also understand that failure to comply with the Ordering Provisions, if any, in this order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions;
- and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

Carlos J. Galvan, Jr
Signature

10-6-15
Date

Carlos J. Galvan, Jr
Name (Printed or typed)
Authorized Representative of
Laguna Madre Water District

10-6-15
Title

Instructions: Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Section III, Paragraph 1 of this Agreed Order.